

K18i

THE MATCH WINNER



PRODUCT HIGHLIGHTS

- Optimized for IPSC and 3-Gun matches
- Ultra-wide field of view, 8 x zoom and true 1 x magnification
- Integrated throw levers in 2 alternative sizes with infinitely adjustable positions
- Extra-bright day/night illumination in 2nd focal plane with MAX LIGHT function for extreme backlight situations
- Special reticles for IPSC and 3-Gun, designed with the support of recognized pro-shooters

Optimized for IPSC and 3-Gun matches, the K18i with 8 x zoom features an ultra-wide field of view, specially designed, extra-bright illuminated reticles with unique MAX LIGHT function and an individually adjustable throw lever.

TECHNICAL DATA

Magnification:	1-8
Objective lens diameter:	24 mm
Eye relief:	95 mm
Field of view:	42,5-5,3 m/100 m
Diopter compensation:	+2/-3 dpt
Twilight factor (DIN 58388):	2,9-13,9
Impact correction per click:	.1 MRAD
Adjustment range (E/W):	2.4 / 2.4 m
Parallax adjustment:	100m
Tube diameter:	30 mm
Length:	300 mm
Weight:	555 g
Focal plane:	2
Illuminated:	Ja
Warranty:	10 years

FEATURES



2nd focal plane




Main tube 30 mm



Adjustment direction
CW



MIL




Windage right




MAX LIGHT

RETICLES / SUBTENSIONS



3GR



IPSC